EAST Search History

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|--|---|---------------------|---------|---------------------|
| L1 | 2 | (lob near1 fragment) and ((terminat \$4) near3 (bit)) and payload | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/08 10:19 |
| L2 | 1 | ("20040220946").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2009/05/08 10:20 |
| L3 | 1 | 2 and lob | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2009/05/08 10:20 |
| L4 | 6 | (lob) and ((terminat\$4) near3 (bit)) and payload | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/08 10:21 |
| L5 | 4 | 4 and @ad<"20040409" | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/08 10:21 |
| L6 | 17 | (lob) and ((terminat\$4) near3 (bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/08 10:22 |
| L7 | 9 | 6 and @ad<"20040409" | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/08 10:22 |
| L8 | 5 | 7 and (type near4 (field or code or bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/08 10:23 |
| S1 | 1 | ("5634123").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/02/02 11:56 |
| S2 | 1 | ("20040220946").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/01/26 18:43 |

| S3 | 1 | ("6012067").PN. | US-PGPUB; USPAT; | OR | OFF | 2007/03/21 13:37 |
|------------|---|-------------------------------|---|----|-----|---------------------|
| | | | USOCR; EPO; JPO; IBM_TDB | | | 13.3/ |
| S4 | 0 | ("6904454b2").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/01/26 18:50 |
| S 5 | 1 | ("6904454").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/01/26 18:51 |
| S6 | 1 | ("6631130"). PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/01/26 18:51 |
| S7 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/02/02 13:04 |
| S8 | 1 | S7 and (single with binar\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 11:57 |
| S9 | 1 | ("5634123"). PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/02/02 12:07 |
| S10 | 1 | S9 and single | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 12:08 |
| S11 | 1 | S9 and (data with structure) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 12:08 |
| S12 | 1 | S7 and plac\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 13:05 |
| S13 | 1 | S7 and object | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 13:40 |

| S14 | 1 | S7 and member | US-PGPUB; USPAT; USOCR; EPO; JPO; | OR | ON | 2007/02/02 13:41 |
|-----|---|-------------------------------------|---|----|-----|---------------------|
| S15 | 1 | S7 and (member with collect\$5) | IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 13:43 |
| S16 | 1 | S7 and identif\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 13:44 |
| S17 | 0 | S7 and (identif\$4 with start\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 13:45 |
| S18 | 1 | S7 and (identif\$4 with collect\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 13:45 |
| S19 | 1 | ("6904454").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/02/02 14:20 |
| S20 | 1 | S19 and order\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/02/02 14:21 |
| S21 | 1 | ("20020073232"). PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/03/21 13:38 |
| S22 | 1 | ("6012067").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/03/28 14:21 |
| S23 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/03/28 14:21 |
| S24 | 1 | S23 and collection | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/03/28 14:21 |

| S25 | 1792 | binary with fragment | US-PGPUB; USPAT; | OR | ON | 2007/09/14 11:13 |
|-----|------|--|---|----|----|---------------------|
| | | | USOCR; EPO; JPO; IBM_TDB | | | |
| S26 | 48 | S25 and payload | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 11:11 |
| S27 | 59 | S25 and "707".CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 11:13 |
| S28 | 28 | S27 and collection | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 11:15 |
| S29 | 6 | seriliz\$ with object | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 11:15 |
| S30 | 2758 | serializ\$ with object | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 11:15 |
| S31 | 289 | S30 and fragment | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 11:15 |
| S32 | 113 | S31 and "707".CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 11:16 |
| S33 | 94 | S32 and collection | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:07 |
| S34 | 52 | primitive with data with member | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:07 |
| S35 | 4 | primitive with data with member with integer | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:09 |

| S36 | 1 | ("5634123").PN. | US-PGPUB; | OR | OFF | 2007/09/14 |
|-----|------|--|---|----|-----|---------------------|
| | | | USPAT; USOCR; EPO; JPO; IBM_TDB | | | 12:30 |
| S38 | 9654 | 707/101.CCLS. 707/100.CCLS. 707/103R.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/09/14 12:32 |
| S39 | 403 | S38 and (container or collection) and fragment | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:33 |
| S40 | 268 | S39 and @ad<"20040409" | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:35 |
| S41 | 15 | S40 and (serializ\$ with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:53 |
| S42 | 3 | S41 and primitive | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:35 |
| S43 | 22 | S40 and (primitive with type) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:44 |
| S44 | 4 | S40 and (primitive with type with (integer or number)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:53 |
| S45 | 0 | S41 and (primitive with type with (integer or number)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/14 12:53 |
| S46 | 1 | ("5634123").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/09/16 16:13 |
| S47 | 9654 | 707/101.CCLS. 707/100.CCLS. 707/103R.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/09/16 16:13 |

| S48 | 403 | S47 and (container or collection) and fragment | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/16 16:13 |
|-----|-----|--|---|----|-----|---------------------|
| S49 | 268 | S48 and @ad<"20040409" | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/09/16 16:13 |
| S50 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/12/12 13:37 |
| S51 | 1 | S50 and (computer with readable) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/12/12 12:26 |
| S52 | 1 | S50 and (carrier or wave or signal) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/12 12:26 |
| S53 | 0 | S50 and (comunication) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/12 12:26 |
| S54 | 0 | S50 and (communication) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/12 12:26 |
| S55 | 1 | S50 and (storage with format) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/12/12 13:37 |
| S56 | 442 | binary near2 fragment | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/14 18:59 |
| S57 | 1 | (binary near2 fragment) with header | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/14 19:00 |
| S58 | 0 | ("20050234986and (computerwithreadable)").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/03/14 19:02 |

| S59 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/03/14 19:02 |
|-----|---|---|---|----|-----|---------------------|
| S60 | 1 | S59 and (computer with readable with medium) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/14 19:02 |
| S61 | 1 | S59 and (computer near2 readable near2 medium) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/14 19:04 |
| S62 | 1 | S59 and primitive | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/14 19:06 |
| S63 | 1 | S59 and (signal or carrier or waver or paper) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/14 19:35 |
| S64 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/03/15 19:37 |
| S65 | 1 | S64 and (record with format) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/15 19:38 |
| S66 | 1 | S64 and (storage with engine with record with format) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/15 19:39 |
| S67 | 1 | (US-5634123-\$).did. | USPAT | OR | OFF | 2008/03/15 19:45 |
| S68 | 1 | S64 and (table or column or row) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/15 19:46 |
| S69 | 1 | S67 and (table or column or row) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/15 19:46 |

| S70 | 0 | S67 and (collection with start with fragment) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/15 21:06 |
|-----|---|---|---|----|-----|---------------------|
| S71 | 1 | \$64 and (collection with start with fragment) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/15 21:06 |
| S72 | 1 | S64 and (collection near1 start near1 fragment) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/15 21:07 |
| S73 | 1 | S64 and member | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/15 23:25 |
| S74 | 1 | S64 and (member with collection) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/15 23:26 |
| S75 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/03/17 09:47 |
| S76 | 1 | S75 and (computer with readable with medium) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/03/17 09:47 |
| S77 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/03/17 14:56 |
| S78 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/15 11:05 |
| S79 | 0 | S78 and (computer\$readable adj medium) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/15 11:06 |
| S80 | 0 | S78 and (computer\$readable) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/15 11:06 |

| S81 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; | OR | OFF | 2008/11/16 13:46 |
|-----|---|----------------------------------|---|----|-----|---------------------|
| S82 | 1 | S81 and property | IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; IBM TDB | OR | ON | 2008/11/16 13:46 |
| S83 | 1 | S81 and (property with bit) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/16 13:46 |
| S84 | 1 | ("6904454").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/16 13:48 |
| S85 | 1 | S84 and bit | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/16 13:50 |
| S86 | 1 | ("5634123").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/16 14:25 |
| S87 | 1 | S86 and (data with structure) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/16 14:25 |
| S88 | 1 | (US-5634123-\$).did. | USPAT | OR | OFF | 2008/11/16 14:25 |
| S89 | 1 | S88 and (table or column or row) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/16 14:25 |
| S90 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/16 14:25 |
| S91 | 1 | S90 and (member with collect\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/16 14:25 |

| S92 | 3305 | serializ\$ with object | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/16 14:25 |
|------|-------|--|---|----|-----|---------------------|
| S93 | 11934 | 707/101.CCLS. 707/100.CCLS. 707/103R.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/16 14:25 |
| S94 | 513 | S93 and (container or collection) and fragment | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/16 14:25 |
| S95 | 294 | S94 and @ad<"20040409" | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/16 14:25 |
| S96 | 20 | S95 and (serializ\$ with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2008/11/16 14:25 |
| S97 | 1 | ("20040220946").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2009/05/07 18:58 |
| S98 | 0 | S97 and terminat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:07 |
| S99 | 0 | S97 and self | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:08 |
| S100 | 1 | ("20050234986").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2009/05/07 19:21 |
| S101 | 1 | S100 and (self\$1terminat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:21 |
| S102 | 17 | (self\$1terminat\$4) and payload | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:23 |

| S103 | 2 | ((self\$1terminat\$4) near3 (flag or bit)) and payload | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:24 |
|------|------|--|---|----|----|---------------------|
| S104 | 2 | ((self\$1terminat\$4) near3 (flag\$4 or bit)) and payload | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:24 |
| S105 | 11 | S102 and @ad<"20040409" | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:25 |
| S106 | 22 | (self\$1terminat\$4) and serializ\$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:28 |
| S107 | 18 | S106 and @ad<"20040409" | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:28 |
| S108 | 4 | S107 and "707".CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:29 |
| S109 | 14 | S107 not S108 | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:31 |
| S110 | 1174 | ((terminat\$4) near3 (flag\$4 or bit or code or field)) and payload | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:33 |
| S111 | 2 | ((self\$1terminat\$4) near3 (flag\$4 or bit or code or field)) and payload | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:33 |
| S112 | 260 | (((terminat\$4) near3 (flag\$4 or bit or code or field)) and payload and serializ\$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:34 |
| S113 | 164 | S112 and @ad<"20040409" | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:34 |

| S114 | 10 | S113 and "707". CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:34 |
|------|----|---|---|----|----|---------------------|
| S115 | 4 | S114 and (((terminat\$4) near3 (bit)) and payload and serializ\$6) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2009/05/07 19:44 |

5/8/2009 10:41:14 AM

C:\ Documents and Settings\ gcolan\ My Documents\ EAST\ Workspaces\ case10821687.wsp